

Bafety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 10/06/2014

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Name: Heavy Duty Bilge Cleaner Product Code: 805XX

Intended Use of the Product

Use of the Substance/Mixture: Cleaner.

Name, Address, and Telephone of the Responsible Party

Company

Star brite Inc. 4041 SW 47th Avenue Fort Lauderdale, FL 33314 (954)587-6280

www.starbrite.com

Emergency Telephone Number Emergency Number : US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture Classification (GHS-US) Eye Irrit. 2A H319

Label Elements **GHS-US Labeling**

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)	:	Warning
Hazard Statements (GHS-US)	:	H319 - Causes serious eye irritation.
Precautionary Statements (GHS-US)	:	P264 - Wash hands, forearms, and exposed areas thoroughly after handling.
		P280 - Wear eye protection, protective gloves, protective clothing.
		P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
		contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Other Hazards

No additional information available

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% (w/w)	Classification (GHS-US)
Isopropyl alcohol	(CAS No) 67-63-0	1 - 5	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3, H336
Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	(CAS No) 68585-47-7	0.1 - 1	Acute Tox. 4 (Oral), H302
			Skin Irrit. 2, H315
			Eye Dam. 1, H318
Dipropylene glycol monomethyl ether	(CAS No) 34590-94-8	0.5 - 1.5	Flam. Liq. 4, H227
Full text of H-phrases: see section 16		•	

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation.

Inhalation: May cause irritation to the respiratory tract.

Skin Contact: May cause mild skin irritation.

Eye Contact: Causes serious eye irritation.

Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Repeated or prolonged skin contact may cause dermatitis and defatting.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavywater stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: None known.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Do not allow run-off from fire fighting to enter drains or water courses.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen compounds.

Reference to Other Sections Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Stop leak if safe to do so.

Environmental Precautions Prevent entryto sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Absorb and/or contain spill with inert material, then place in suitable container.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see item 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. **Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Specific End Use(s) Cleaner.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters	UNTROLS/PERSONAL PROTEC	
Isopropyl alcohol (67-63-0)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	400 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	980 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m ³)	1225 mg/m ³
USA NIOSH	NIOSH REL (STEL) (ppm)	500 ppm
USA IDLH	US IDLH (ppm)	2000 ppm (10% LEL)
Alberta	OEL STEL (mg/m ³)	984 mg/m ³
Alberta	OEL STEL (ppm)	400 ppm
Alberta	OEL TWA (mg/m ³)	492 mg/m ³
Alberta	OEL TWA (ppm)	200 ppm
British Columbia	OEL STEL (ppm)	400 ppm
British Columbia	OEL TWA (ppm)	200 ppm
Manitoba	OEL STEL (ppm)	400 ppm
Manitoba	OEL TWA (ppm)	200 ppm
New Brunswick	OEL STEL (mg/m ³)	1230 mg/m ³
New Brunswick	OEL STEL (ppm)	500 ppm
New Brunswick	OEL TWA (mg/m ³)	983 mg/m ³
New Brunswick	OEL TWA (ppm)	400 ppm
Newfoundland & Labrador	OEL STEL (ppm)	400 ppm
Newfoundland & Labrador	OEL TWA (ppm)	200 ppm
Nova Scotia	OEL STEL (ppm)	400 ppm
Nova Scotia	OEL TWA (ppm)	200 ppm
Nunavut	OEL STEL (mg/m ³)	1228 mg/m ³
Nunavut	OEL STEL (ppm)	500 ppm
Nunavut	OEL TWA (mg/m ³)	983 mg/m ³
Nunavut	OEL TWA (ppm)	400 ppm
Northwest Territories	OEL STEL (mg/m ³)	1228 mg/m ³
Northwest Territories	OEL STEL (ppm)	500 ppm
Northwest Territories	OEL TWA (mg/m ³)	983 mg/m ³
Northwest Territories	OEL TWA (ppm)	400 ppm
Ontario	OEL STEL (ppm)	400 ppm
Ontario	OEL TWA (ppm)	200 ppm
Prince Edward Island	OEL STEL (ppm)	400 ppm
Prince Edward Island	OEL TWA (ppm)	200 ppm
Québec	VECD (mg/m ³)	1230 mg/m ³
Québec	VECD (ppm)	500 ppm
Québec	VEMP (mg/m ³)	985 mg/m ³
Québec	VEMP (ppm)	400 ppm
Saskatchewan	OEL STEL (ppm)	400 ppm
Saskatchewan	OEL TWA (ppm)	200 ppm
Yukon	OEL STEL (mg/m ³)	1225 mg/m ³
Yukon	OEL STEL (ppm)	500 ppm
Yukon	OEL TWA (mg/m³)	980 mg/m ³
Yukon	OEL TWA (ppm)	400 ppm

EN (English US)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Dipropylene glycol monomethyl ether (34590-94-8)				
USA ACGIH	ACGIH TWA (ppm)	100 ppm		
USA ACGIH	ACGIH STEL (ppm)	150 ppm		
USA OSHA	OSHA PEL (TWA) (mg/m³)	600 mg/m ³		
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm		
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	600 mg/m ³		
USA NIOSH	NIOSH REL (TWA) (ppm)	100 ppm		
USA NIOSH	NIOSH REL (STEL) (mg/m³)	900 mg/m ³		
USA NIOSH	NIOSH REL (STEL) (ppm)	150 ppm		
USA IDLH	US IDLH (ppm)	600 ppm		
Alberta	OEL STEL (mg/m ³)	909 mg/m ³		
Alberta	OEL STEL (ppm)	150 ppm		
Alberta	OEL TWA (mg/m³)	606 mg/m ³		
Alberta	OEL TWA (ppm)	100 ppm		
British Columbia	OEL STEL (ppm)	150 ppm		
British Columbia	OEL TWA (ppm)	100 ppm		
Manitoba	OEL STEL (ppm)	150 ppm		
Manitoba	OEL TWA (ppm)	100 ppm		
New Brunswick	OEL STEL (mg/m ³)	909 mg/m ³		
New Brunswick	OEL STEL (ppm)	150 ppm		
New Brunswick	OEL TWA (mg/m ³)	606 mg/m ³		
New Brunswick	OEL TWA (ppm)	100 ppm		
Newfoundland & Labrador	OEL STEL (ppm)	150 ppm		
Newfoundland & Labrador	OEL TWA (ppm)	100 ppm		
Nova Scotia	OEL STEL (ppm)	150 ppm		
Nova Scotia	OEL TWA (ppm)	100 ppm		
Nunavut	OEL STEL (mg/m ³)	909 mg/m ³		
Nunavut	OEL STEL (ppm)	150 ppm		
Nunavut	OEL TWA (mg/m ³)	606 mg/m ³		
Nunavut	OEL TWA (ppm)	100 ppm		
Northwest Territories	OEL STEL (mg/m ³)	909 mg/m ³		
Northwest Territories	OEL STEL (ppm)	150 ppm		
Northwest Territories	OEL TWA (mg/m ³)	606 mg/m ³		
Northwest Territories	OEL TWA (ppm)	100 ppm		
Ontario	OEL STEL (ppm)	150 ppm		
Ontario	OEL TWA (ppm)	100 ppm		
Prince Edward Island	OEL STEL (ppm)	150 ppm		
Prince Edward Island	OEL TWA (ppm)	100 ppm		
Québec	VECD (mg/m ³)	909 mg/m ³		
Québec	VECD (ppm)	150 ppm		
Québec	VEMP (mg/m ³)	606 mg/m ³		
Québec	VEMP (ppm)	100 ppm		
Saskatchewan	OEL STEL (ppm)	150 ppm		
Saskatchewan	OEL TWA (ppm)	100 ppm		
	alkyl esters, sodium salts (68585-47-7)	The second s		
USA ACGIH		Not applicable		
USA OSHA	PEL	Not applicable		
USA NIOSH	REL	Not applicable		
USA NIOSH	IDLH	Not applicable		
USA NIUSH		ног аррисаре		

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Exposure Controls

Appropriate Engineering Controls: Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in immediate vicinity of potential exposure. **Personal Protective Equipment:** Protective clothing. Safety glasses. Gloves. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

SECTION 9. PHISICAL AND CHEIVIICAL PROP	ECTION 9: PHYSICAL AND CHEIVIICAL PROPERTIES		
Information on Basic Physical and Chemical Pr	nformation on Basic Physical and Chemical Properties		
Physical State	:	Liquid	
Appearance	:	Blue	
Odor	:	Pleasant	
Odor Threshold	:	Not available	
рН	:	10.5	
Evaporation Rate	:	Not available	
Melting/Freezing Point	:	Not available	
Boiling Point	:	100 °C (212 °F)	
Flash Point	:	> 100 °C (212 °F)	
Auto-ignition Temperature	:	Not available	
Decomposition Temperature	:	Not available	
Flammability (solid, gas)	:	Not available	
Upper and Lower Flammable Limits	:	Not available	
Vapor Pressure	:	Not available	
Relative Vapor Density at 20 °C	:	Not available	
Relative Density/Specific Gravity	:	1.02 (water = 1) at 20 °C (68 °F)	
Solubility	:	Soluble in water.	
Partition Coefficient: N-octanol/water	:	Not available	
Viscosity	:	Not available	
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact.	
Explosion Data – Sensitivity to Static Discharge	:	Not expected to present an explosion hazard due to static discharge.	
ACATIONI 40. ATA DILITY AND DEA ATIVITY			

SECTION 10: STABILITY AND REACTIVITY

<u>Reactivity</u>: None known.

<u>Chemical Stability</u>: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Contact with metallic substances.

Incompatible Materials: Strong acids. Strong oxidizers. Metals.

Hazardous Decomposition Products: Carbon oxides (CO, CO₂). Chlorine gas. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified (pH: 10.5)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

According to Federal Register / Vol. //, No. 58 / N	10110ay, Warch 20, 2012 / Ru				
Serious Eye Damage/Irritation: Causes	serious eye irritation.	(pH: 10.5)			
Respiratory or Skin Sensitization: Not	Respiratory or Skin Sensitization: Not classified				
Germ Cell Mutagenicity: Not classified					
Teratogenicity: Not available					
Carcinogenicity: Not classified					
Specific Target Organ Toxicity (Repeated Exposure): Not classified					
	Reproductive Toxicity: Not classified				
Specific Target Organ Toxicity (Single I	Exposure): Not classifie	d			
Aspiration Hazard: Not classified					
Symptoms/Injuries After Inhalation: N					
	Symptoms/Injuries After Skin Contact: May cause mild skin irritation.				
Symptoms/Injuries After Eye Contact:					
Symptoms/Injuries After Ingestion: Ingestion					
Chronic Symptoms: Repeated or prolo		cause dermatitis and defatting.			
Information on Toxicological Effect	<u>ts - Ingredient(s)</u>				
LD50 and LC50 Data:					
Isopropyl alcohol (67-63-0)					
LD50 Oral Rat		4396 mg/kg			
LD50 Dermal Rabbit		12800 mg/kg			
LC50 Inhalation Rat		16000 ppm (Exposure time: 8 h)			
Sulfuric acid, mono-C10-16-alkyl ester	s, sodium salts (68585-	47-7)			
LD50 Oral Rat	<i>·</i>	> 2000 mg/kg			
ATE US (oral)		500.00 mg/kg body weight			
Dipropylene glycol monomethyl ether	(34590-94-8)				
LD50 Oral Rat	(*********	5230 mg/kg			
LD50 Dermal Rabbit		9500 mg/kg			
Isopropyl alcohol (67-63-0)					
IARC Group		3			
SECTION 12: ECOLOGICAL INFOR	MATION				
Toxicity No additional information av					
Isopropyl alcohol (67-63-0)					
LC50 Fish 1	9640 mg/l (Exposur	e time: 96 h - Species: Pimephales promelas [flow-through])			
EC50 Daphnia 1	13299 mg/l (Exposu	ıre time: 48 h - Species: Daphnia magna)			
EC50 Other Aquatic Organisms 1	1000 mg/l (Exposur	e time: 96 h - Species: Desmodesmus subspicatus)			
LC 50 Fish 2	11130 mg/l (Exposu	ire time: 96 h - Species: Pimephales promelas [static])			
EC50 Other Aquatic Organisms 2	1000 mg/l (Exposur	e time: 72 h - Species: Desmodesmus subspicatus)			
Dipropylene glycol monomethyl ether	(34590-94-8)				
LC50 Fish 1	> 10000 mg/l (Expo	sure time: 96 h - Species: Pimephales promelas [static])			
EC50 Daphnia 1	1919 mg/l (Exposur	e time: 48 h - Species: Daphnia magna)			
Persistence and Degradability Not a	available				
Bioaccumulative Potential					
Isopropyl alcohol (67-63-0)					
Log Pow	0.05 (at 25 °C)				
Dipropylene glycol monomethyl ether (34590-94-8)					
Log Pow	-0.064 (at 20 °C)				
Mobility in Soil Not available					
Other Adverse Effects Avoid release	to the environment				
Still Adverse Elicets Avoid release	to the charlonnent.				

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Heavy Duty Bilge Cleaner Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monda	y, March 26, 2012 / Rules And Regulations				
SECTION 14: TRANSPORT INFORMAT	TION				
	d for transport				
	d for transport				
	d for transport				
	l for transport				
SECTION 15: REGULATORY INFORMA					
US Federal Regulations					
Heavy Duty Bilge Cleaner					
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard				
Isopropyl alcohol (67-63-0)					
Listed on the United States TSCA (Toxic Sub	stances Control Act) inventory				
Listed on United States SARA Section 313					
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.				
SARA Section 313 - Emission Reporting	1.0 % (only if manufactured by the strong acid process, no supplier notification)				
Sulfuric acid, mono-C10-16-alkyl esters, so	dium salts (68585-47-7)				
Listed on the United States TSCA (Toxic Sub	stances Control Act) inventory				
Dipropylene glycol monomethyl ether (345	590-94-8)				
Listed on the United States TSCA (Toxic Sub	stances Control Act) inventory				
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.				
US State Regulations					
Isopropyl alcohol (67-63-0)					
U.S California - SCAQMD - Toxic Air Conta	minants - Non-Cancer Acute				
U.S California - SCAQMD - Toxic Air Conta	minants - Non-Cancer Chronic				
U.S California - Toxic Air Contaminant List	(AB 1807, AB 2728)				
U.S Connecticut - Hazardous Air Pollutant	s - HLVs (30 min)				
U.S Connecticut - Hazardous Air Pollutant	s - HLVs (8 hr)				
U.S Connecticut - Volatile Substances					
U.S Idaho - Non-Carcinogenic Toxic Air Po	Ilutants - Acceptable Ambient Concentrations				
U.S Idaho - Non-Carcinogenic Toxic Air Po					
U.S Idaho - Occupational Exposure Limits					
RTK - U.S Massachusetts - Right To Know					
U.S Massachusetts - Toxics Use Reduction Act					
U.S Michigan - Occupational Exposure Lim					
U.S Michigan - Occupational Exposure Lim					
U.S Minnesota - Hazardous Substance List					
U.S Minnesota - Permissible Exposure Lim					
U.S Minnesota - Permissible Exposure Lim	Pollutants - Ambient Air Levels (AALs) - 24-Hour				
U.S New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual U.S New Jersey - Discharge Prevention - List of Hazardous Substances					
U.S New Jersey - Discharge Prevention - List of Hazardous Substances U.S New Jersey - Environmental Hazardous Substances List					
RTK - U.S New Jersey - Right to Know Hazardous Substance List					
U.S New Jersey - Special Health Hazards Substances List					
U.S New York - Occupational Exposure Limits - TWAs					
U.S North Dakota - Air Pollutants - Guidel					
U.S North Dakota - Air Pollutants - Guideli					
U.S Oregon - Permissible Exposure Limits - TWAs					
RTK - U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List					
RTK - U.S Pennsylvania - RTK (Right to Know) List					
U.S Rhode Island - Air Toxics - Acceptable Ambient Levels - 1-Hour					
U.S Tennessee - Occupational Exposure Li	mits - STELs				

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations U.S. - Tennessee - Occupational Exposure Limits - TWAs U.S. - Texas - City of Austin - Aerosol Paint and Glue Restrictions U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term U.S. - Vermont - Permissible Exposure Limits - STELs U.S. - Vermont - Permissible Exposure Limits - TWAs U.S. - Washington - Permissible Exposure Limits - STELs U.S. - Washington - Permissible Exposure Limits - TWAs Sulfuric acid, mono-C10-16-alkyl esters, sodium salts (68585-47-7) U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term Dipropylene glycol monomethyl ether (34590-94-8) U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min) U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr) U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) U.S. - Idaho - Occupational Exposure Limits - TWAs RTK - U.S. - Massachusetts - Right To Know List U.S. - Michigan - Occupational Exposure Limits - Skin Designations U.S. - Michigan - Occupational Exposure Limits - STELs U.S. - Michigan - Occupational Exposure Limits - TWAs U.S. - Minnesota - Hazardous Substance List U.S. - Minnesota - Permissible Exposure Limits - Skin Designations U.S. - Minnesota - Permissible Exposure Limits - STELs U.S. - Minnesota - Permissible Exposure Limits - TWAs U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual RTK - U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New York - Occupational Exposure Limits - Skin Designations U.S. - New York - Occupational Exposure Limits - TWAs U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour U.S. - Oregon - Permissible Exposure Limits - Skin Designations U.S. - Oregon - Permissible Exposure Limits - TWAs RTK - U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Tennessee - Occupational Exposure Limits - Skin Designations U.S. - Tennessee - Occupational Exposure Limits - STELs U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term U.S. - Vermont - Permissible Exposure Limits - Skin Designations U.S. - Vermont - Permissible Exposure Limits - STELs U.S. - Vermont - Permissible Exposure Limits - TWAs U.S. - Washington - Permissible Exposure Limits - Skin Designations U.S. - Washington - Permissible Exposure Limits - STELs U.S. - Washington - Permissible Exposure Limits - TWAs **Canadian Regulations** Heavy Duty Bilge Cleaner

WHMIS Classification Class D Division 2 Subdivision B - Toxic material causing other toxic effects



Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations						
Isopropyl alcohol (67-63-0)						
Listed on the Canadian DSL (Domestic Sustances List)						
Listed on the Canadian IDL (Ingredient Disclosure List)						
IDL Concentration 1 %						
WHMIS Classification Class B Division 2 - Flammable Liquid						
Class D Division 2 Subdivision B - Toxic material causing other toxic effects						
	lkyl esters, sodium salts (68585-47-7)					
Listed on the Canadian DSL (D						
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects					
Dipropylene glycol monomet						
Listed on the Canadian DSL (D						
Listed on the Canadian IDL (In	gredient Disclosure List)					
IDL Concentration 1 %						
WHMIS Classification	Class B Division 3 - Combustible Liquid					
-	ed in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS					
contains all of the information						
	RMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION					
Revision Date	: 10/06/2014					
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA					
	Hazard Communication Standard 29 CFR 1910.1200.					
GHS Full Text Phrases:						
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4					
Asp. Tox. 1	Aspiration hazard Category 1					
Eye Dam. 1	Serious eye damage/eye irritation Category 1					
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A					
Flam. Liq. 2	Flammable liquids Category 2					
Flam. Liq. 4	Flammable liquids Category 4					
Skin Irrit. 2	Skin corrosion/irritation Category 2					
STOT SE 3	Specific target organ toxicity (single exposure) Category 3					
H225	Highly flammable liquid and vapor					
H227	Combustible liquid					
H302	Harmful if swallowed					
H304	May be fatal if swallowed and enters airways					
H315	Causes skin irritation					
H318	Causes serious eye damage					
H319	Causes serious eye irritation					
H336						
	Exposure could cause irritation but only minor residual injury even if no					
tre: NFPA Fire Hazard : 1 - NFPA Reactivity : 0 -	atment is given. Must be preheated before ignition can occur. Normally stable, even under fire exposure conditions, and are not reactive with ter.					

Party Responsible for the Preparation of This Document

Starbrite[®]

Phone Number: (954)587-6280

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.