

Safety Data Sheet

according to Federal Register /Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 06/23/2014 Date of issue: 06/23/2014

Version: 1.0

#### **SECTION 1: IDENTIFICATION**

<u>Product Identifier</u> <u>Product Form: Mixture</u>

Product Name: Ultimate Xtreme Clean All Surface Cleaner Degreaser

**Product Code: 832XX** 

Intended Use of the Product

Use of the Substance/Mixture: Cleaner

Name, Address, and Telephone of the Responsible Party

**Company** Starbrite

4041 SW 47<sup>th</sup> Avenue Fort Lauderdale, FL 33314

(954)587-6280 www.starbrite.com

**Emergency Telephone Number** 

Emergency number : US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the Substance or Mixture

#### Classification (GHS-US)

Skin Irrit. 2 H315 Eye Irrit. 2A H319 Carc. 2 H351 Label Elements

GHS-US Labeling Hazard Pictograms

(GHS-US)



GHSOR

Signal Word (GHS-US) : Warning

Hazard Statements : H315 - Causes skin irritation

(GHS-US) H319 - Causes serious eye irritation

H351 - Suspected of causing cancer

**Precautionary**: P201 - Obtain special instructions before use.

**Statements (GHS-US)** P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands, forearms and exposed areas thoroughly after handling.

P280 - Wear eye protection, protective gloves, protective clothing. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see Section 4).

P332+P337+P313 - If skin irritation occurs or eye irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P405+P501 - Store locked up. Dispose of contents/container according to local, regional, national,

territorial, provincial, and international regulations.

#### **Other Hazards**

Aquatic Acute 3

H402 - Harmful to aquatic life

P273 - Avoid release to the environment

**Other Hazards Not Contributing to the Classification**: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

06/23/2014 FKATT.B-CC EN (English US) 1/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Unknown Acute Toxicity (GHS-US) Not available

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Tetrasodium EDTA	(CAS No) 64-02-8	1 - 5	Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Inhalation:dust,mist), H332
			Eye Dam. 1, H318
			Aquatic Acute 2, H401
Alcohols, C9-11, ethoxylated	(CAS No) 68439-46-3	1 - 5	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
Diethylene glycol monobutyl ether	(CAS No) 112-34-5	1 - 5	Flam. Liq. 4, H227
			Eye Irrit. 2A, H319
Nitrilotriacetic acid trisodium salt	(CAS No) 5064-31-3	0.1 - 1	Acute Tox. 4 (Oral), H302
			Eye Irrit. 2A, H319
			Carc. 2, H351
Sodium hydroxide	(CAS No) 1310-73-2	0.1 - 1	Met. Corr. 1, H290
			Skin Corr. 1A, H314
			Eye Dam. 1, H318
			Aquatic Acute 3, H402

Full text of H-phrases: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### **Description of First Aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible). **Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Obtain medical attention if pain, blinking or redness persist.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

#### Most Important Symptoms and Effects Both Acute and Delayed

General: Irritating to eyes, respiratory system and skin.

**Inhalation:** May cause respiratory irritation.

**Skin Contact:** Causes skin irritation. **Eye Contact:** Causes serious eye irritation.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** Suspected of causing cancer.

#### Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

#### **SECTION 5: FIRE FIGHTING MEASURES**

#### **Extinguishing Media**

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use carbon dioxide. Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** May be corrosive to metals over a prolonged period of contact.

**Advice for Firefighters** 

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Do not allow run-off from fire fighting to enter drains or water courses.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>). Toxic fumes are released.

06/23/2014 FKATT.B-CC EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reference to Other Sections Refer to section 9 for flammability properties.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not allow contact with metals. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor, mist, gas).

For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection. **Emergency Procedures:** Ventilate area. Stop leak if safe to do so.

**Environmental Precautions** 

Prevent entry to sewers and public waters.

#### Methods and Material for Containment and Cleaning Up

For Containment: Absorb and contain spill with inert material, then place in suitable container.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely.

Reference to Other Sections See heading 8, Exposure Controls and Personal Protection.

#### **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

#### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Storage areas should be

periodically checked for integrity.

**Incompatible Materials:** Strong acids. Strong oxidizers. Metals.

Special Rules on Packaging: Store in original container.

Diathylana alysal manahytyl athar (112 24 E)

Specific End Use(s) Cleaner.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

USA ACGIH         ACGIH TWA (ppm)         10 ppm           Manitoba         OEL TWA (ppm)         10 ppm           Newfoundland & Labrador         OEL TWA (ppm)         10 ppm           Nova Scotia         OEL TWA (ppm)         10 ppm           Prince Edward Island         OEL TWA (ppm)         10 ppm           Sodium hydroxide (1310-73-2)         Value         Value           Mexico         OEL Ceiling (mg/m³)         2 mg/m³           USA ACGIH         ACGIH Ceiling (mg/m³)         2 mg/m³           USA OSHA         OSHA PEL (TWA) (mg/m³)         2 mg/m³           USA NIOSH         NIOSH REL (ceiling) (mg/m³)         2 mg/m³           USA IDLH         US IDLH (mg/m³)         10 mg/m³           Alberta         OEL Ceiling (mg/m³)         2 mg/m³
Newfoundland & Labrador         OEL TWA (ppm)         10 ppm           Nova Scotia         OEL TWA (ppm)         10 ppm           Prince Edward Island         OEL TWA (ppm)         10 ppm           Sodium hydroxide (1310-73-2)         Value of the control of the
Nova Scotia         OEL TWA (ppm)         10 ppm           Prince Edward Island         OEL TWA (ppm)         10 ppm           Sodium hydroxide (1310-73-2)           Mexico         OEL Ceiling (mg/m³)         2 mg/m³           USA ACGIH         ACGIH Ceiling (mg/m³)         2 mg/m³           USA OSHA         OSHA PEL (TWA) (mg/m³)         2 mg/m³           USA NIOSH         NIOSH REL (ceiling) (mg/m³)         2 mg/m³           USA IDLH         US IDLH (mg/m³)         10 mg/m³
Prince Edward Island         OEL TWA (ppm)         10 ppm           Sodium hydroxide (1310-73-2)         Value of the principle of the
Sodium hydroxide (1310-73-2)           Mexico         OEL Ceiling (mg/m³)         2 mg/m³           USA ACGIH         ACGIH Ceiling (mg/m³)         2 mg/m³           USA OSHA         OSHA PEL (TWA) (mg/m³)         2 mg/m³           USA NIOSH         NIOSH REL (ceiling) (mg/m³)         2 mg/m³           USA IDLH         US IDLH (mg/m³)         10 mg/m³
Mexico         OEL Ceiling (mg/m³)         2 mg/m³           USA ACGIH         ACGIH Ceiling (mg/m³)         2 mg/m³           USA OSHA         OSHA PEL (TWA) (mg/m³)         2 mg/m³           USA NIOSH         NIOSH REL (ceiling) (mg/m³)         2 mg/m³           USA IDLH         US IDLH (mg/m³)         10 mg/m³
USA ACGIH         ACGIH Ceiling (mg/m³)         2 mg/m³           USA OSHA         OSHA PEL (TWA) (mg/m³)         2 mg/m³           USA NIOSH         NIOSH REL (ceiling) (mg/m³)         2 mg/m³           USA IDLH         US IDLH (mg/m³)         10 mg/m³
USA OSHA         OSHA PEL (TWA) (mg/m³)         2 mg/m³           USA NIOSH         NIOSH REL (ceiling) (mg/m³)         2 mg/m³           USA IDLH         US IDLH (mg/m³)         10 mg/m³
USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³
USA IDLH US IDLH (mg/m³) 10 mg/m³
, , ,
Alberta OFI Cailing $(mg/m^3)$ 2 $mg/m^3$
Arberta OLL Certing (hig/iii ) 2 hig/iii
British Columbia OEL Ceiling (mg/m³) 2 mg/m³
Manitoba OEL Ceiling (mg/m³) 2 mg/m³
New Brunswick OEL Ceiling (mg/m³) 2 mg/m³
Newfoundland & Labrador   OEL Ceiling (mg/m³)   2 mg/m³
Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³
Nunavut OEL Ceiling (mg/m³) 2 mg/m³
Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³
Ontario OEL Ceiling (mg/m³) 2 mg/m³
Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³

06/23/2014 FKATT.B-CC EN (English US) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Québec	PLAFOND (mg/m³)	2 mg/m³
Saskatchewan	OEL Ceiling (mg/m³)	2 mg/m³
Yukon	OEL Ceiling (mg/m³)	2 mg/m³

#### **Exposure Controls**

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Personal Protective Equipment:** Protective clothing. Safety glasses. Face shield. Gloves. Insufficient ventilation: wear respiratory protection.











Materials for Protective Clothing: Corrosionproof clothing. Hand Protection: Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or faceshield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed

 $established \, Occupational \, Exposure \, Limits.$ 

Other Information: When using, do not eat, drink or smoke.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: ClearOdor: PleasantOdor Threshold: Not available

pH : 12

Relative Evaporation Rate (butylacetate=1) Not available **Melting/Freezing Point** 0 °C (32 °F) **Boiling Point** Not available Flash Point > 100 °C (> 212 °F) **Auto-ignition Temperature** Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not available Upper/Lower Flammable Limit Not available Vapor Pressure Not available Relative Vapor Density at 20 °C Not available Relative Density/Specific Gravity 1.003 (water = 1) Solubility Water: High

Partition coefficient: n-octanol/water : Not available Viscosity : 6.5 cSt @ 100 °C (212 °F)

Explosion Data – Sensitivity to Mechanical Impact: Not expected to present an explosion hazard due to mechanical impact.

Explosion Data – Sensitivity to Static Discharge: Not expected to present an explosion hazard due to static discharge.

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** May be corrosive to metals over a prolonged period of contact.

**Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Contact with metallic substances.

**Incompatible Materials:** Oxidizers. Strong acids. Alkalis and caustic products. Halogens. Metals.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Thermal decomposition generates toxic vapours.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Information on Toxicological Effects - Product

Acute Toxicity: Not classified

06/23/2014 FKATT.B-CC EN (English US) 4/9

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes serious eye irritation. (pH: 12; alkali reserve: 2.52) Serious Eye Damage/Irritation: Causes skin irritation. (pH: 12; alkali reserve: 2.52)

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available

Carcinogenicity: Suspected of causing cancer.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

**Symptoms/Injuries After Inhalation:** May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have advers e effects.

Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

Alcohols, C9-11, ethoxylated (68439-46-3)		
LD50 Oral Rat	1400 mg/kg	
Tetrasodium EDTA (64-02-8)		
LD50 Oral Rat	1780 mg/kg	
Diethylene glycol monobutyl ether (112-34-5)		
LD50 Oral Rat	3384 mg/kg	
LD50 Dermal Rabbit	2700 mg/kg	
Nitrilotriacetic acid trisodium salt (5064-31-3)		
LD50 Oral Rat	920 mg/kg	
LC50 Inhalation Rat (mg/l)	> 5 mg/l/4h	
Nitrilotriacetic acid trisodium salt (5064-31-3)		
IARC Group	2B	

### **SECTION 12: ECOLOGICAL INFORMATION**

#### Toxicity

Ecology - General: Harmful to aquatic life.

Tetrasodium EDTA (64-02-8)		
LC50 Fish 1	41 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Other Aquatic Organisms 1	1.01 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)	
LC 50 Fish 2	59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
Sodium hydroxide (1310-73-2)		
LC50 Fish 1	40 mg/l	
Nitrilotriacetic acid trisodium salt (5064-31-3)		
LC50 Fish 1	93 - 170 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 Daphnia 1	560 - 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	175 - 225 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
Diethylene glycol monobutyl ether (112-34-5)		
LC50 Fish 1	1300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 1	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 Other Aquatic Organisms 1	> 100 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)	

#### Persistence and Degradability

Ultimate Xtreme Clean All Surface Cleaner Degreaser	
Persistence and Degradability	Not established.

06/23/2014 FKATT.B-CC EN (English US) 5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Bioaccumulative Potential**

Ultimate Xtreme Clean All Surface Cleaner Degreaser		
Bioaccumulative Potential Not established.		
Diethylene glycol monobutyl ether (112-34-5)		
BCF fish 1	(no bioconcentration expected)	

Mobility in Soil Not available

**Other Adverse Effects** 

Other Information: Avoid release to the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology - Waste Materials: Avoid release to the environment.

#### **SECTION 14: TRANSPORT INFORMATION**

In Accordance With ICAO/IATA/DOT/TDG

**UN Number** Not regulated for transport

**UN Proper Shipping Name** Not regulated for transport

**Additional Information** Not available

**Transport by sea** Not regulated for transport

Air transport Not regulated for transport

#### **SECTION 15: REGULATORY INFORMATION**

#### **US Federal Regulations**

Ultimate Xtreme Clean All Surface Cleaner Degreaser		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
	Delayed (chronic) health hazard	
Alcohols, C9-11, ethoxylated (68439-46-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Nitrilotriacetic acid trisodium salt (5064-31-3)		

### Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Tetrasodium EDTA (64-02-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Diethylene glycol monobutyl ether (112-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA

T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

Regulatory Flag

Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### **US State Regulations**

#### Alcohols, C9-11, ethoxylated (68439-46-3)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Nitrilotriacetic acid trisodium salt (5064-31-3)

- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants
- U.S. Massachusetts Right To Know List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Tetrasodium EDTA (64-02-8)

U.S. - Texas - Effects Screening Levels - Long Term

06/23/2014 FKATT.B-CC EN (English US) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### U.S. - Texas - Effects Screening Levels - Short Term

#### Sodium hydroxide (1310-73-2)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits Ceilings
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits Ceilings
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- $U.S. South\ Carolina\ Toxic\ Air\ Pollutants\ Maximum\ Allowable\ Concentrations$
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits Ceilings
- U.S. Texas Effects Screening Levels Long Term
- $\hbox{U.S. Texas Effects Screening Levels Short Term}\\$
- U.S. Vermont Permissible Exposure Limits Ceilings
- U.S. Washington Permissible Exposure Limits Ceilings
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

#### Diethylene glycol monobutyl ether (112-34-5)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### **Canadian Regulations**

Ultimate Xtreme Clean All Surface Cleaner Degreaser		
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects	
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

06/23/2014 FKATT.B-CC EN (English US) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



Alcohols, C9-11, ethoxylated (68439-46-3)		
Listed on the Canadian DSL (Domestic Substances List) inventory.		
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
Tetrasodium EDTA (64-02-8)		
Listed on the Canadian DSL (D	omestic Substances List) inventory.	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
Nitrilotriacetic acid trisodium salt (5064-31-3)		
Listed on the Canadian DSL (Domestic Substances List) inventory.		
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects	
Class E - Corrosive Material		
Sodium hydroxide (1310-73-2)		
Listed on the Canadian DSL (Domestic Substances List) inventory.		
Listed on the Canadian Ingredient Disclosure List		
WHMIS Classification	Class E - Corrosive Material	
Diethylene glycol monobutyl ether (112-34-5)		
Listed on the Canadian DSL (Domestic Substances List) inventory.		
WHMIS Classification	Class B Division 3 - Combustible Liquid	
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

### SECTION 16: OTHER INFORMATION, INCLUDING DATA ON DATE OF PREPARATION OR LAST REVISION

Revision date : 06/23/2014

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

#### **GHS Full Text Phrases:**

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H227	Combustible liquid
H290	May be corrosive to metals
H302	Harmfulifswallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmfulifinhaled
H351	Suspected of causing cancer
H401	Toxic to aquatic life
H402	Harmful to aquatic life

06/23/2014 FKATT.B-CC EN (English US) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


NFPA Health Hazard : 1 - Exposure could cause irritation but only minor residual injury even if no

treatment is given.

**NFPA Fire Hazard** : 0 - Materials that will not burn.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with

water.



#### Party Responsible for the Preparation of This Document

Starbrite®

Phone Number: (954)587-6280

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS

06/23/2014 FKATT.B-CC EN (English US) 9/9